

Odbočková tvarovka (T-kus) 45°



Popis

Plastová odbočka 45°

PVC

#	HMOTNOST	FAR	DA1	DA2	W	L	LA	L1	L2	S
1	0.00	RAL 7011	90	75	45	35	50	206	125	2.5
2	0.32	RAL 7011	110	50	45°	35	50	171	100	2.5
3	0.34	RAL 7011	110	75	45°	35	50	206	125	2.5
4	0.00	RAL 7011	110	90	45°	35	50	227	140	2.5
5	0.44	RAL 7011	125	63	45°	35	50	189	113	2.5
6	0.36	RAL 7011	125	75	45°	35	50	206	125	2.5
7	0.00	RAL 7011	125	90	45°	35	50	227	140	2.5
8	0.52	RAL 7011	125	110	45°	35	50	256	160	2.5
9	0.00	RAL 7011	140	75	45°	35	50	206	125	2.5
10	0.00	RAL 7011	140	90	45°	35	50	227	140	2.5
11	0.54	RAL 7011	140	110	45°	35	50	256	160	2.5
12	0.00	RAL 7011	140	125	45°	35	50	277	175	2.5
13	0.56	RAL 7011	160	75	45°	35	50	206	125	2.5
14	0.58	RAL 7011	160	90	45°	35	50	227	140	2.5
15	0.62	RAL 7011	160	110	45°	35	50	256	160	2.5
16	0.72	RAL 7011	160	125	45°	35	50	277	175	2.5
17	0.74	RAL 7011	160	140	45°	35	50	298	190	2.5
18	0.00	RAL 7011	180	75	45°	35	50	206	125	2.5
19	0.68	RAL 7011	180	90	45°	35	50	227	140	2.5
20	0.66	RAL 7011	180	110	45°	35	50	256	160	2.5
21	0.82	RAL 7011	180	125	45°	35	50	277	175	2.5
22	0.00	RAL 7011	180	140	45°	35	50	298	190	2.5
23	0.00	RAL 7011	180	160	45°	35	50	326	210	2.5
24	0.64	RAL 7011	200	63	45°	35	50	189	113	2.5
25	0.64	RAL 7011	200	75	45°	35	50	206	125	2.5
26	0.74	RAL 7011	200	90	45°	35	50	227	140	2.5
27	0.70	RAL 7011	200	110	45°	35	50	256	160	2.5
28	0.84	RAL 7011	200	125	45°	35	50	277	175	2.5
29	0.00	RAL 7011	200	140	45°	35	50	298	190	2.5
30	1.06	RAL 7011	200	160	45°	35	50	326	210	2.5
31	0.00	RAL 7011	200	180	45°	35	50	355	230	2.5

#	HMOTNOST	FAR	DA1	DA2	W	L	LA	L1	L2	S
32	0.00	RAL 7011	225	75	45°	35	50	206	125	2.5
33	0.00	RAL 7011	225	90	45°	35	50	227	140	2.5
34	0.00	RAL 7011	225	110	45°	35	50	256	160	2.5
35	0.98	RAL 7011	225	125	45°	35	50	277	175	2.5
36	0.00	RAL 7011	225	140	45°	35	50	298	190	2.5
37	0.00	RAL 7011	225	160	45°	35	50	326	210	2.5
38	1.16	RAL 7011	225	180	45°	35	50	355	230	2.5
39	0.00	RAL 7011	225	200	45°	35	50	383	250	2.5
40	0.00	RAL 7011	250	75	45°	35	50	206	125	2.5
41	0.00	RAL 7011	250	90	45°	35	50	227	140	2.5
42	0.76	RAL 7011	250	110	45°	35	50	256	160	2.5
43	1.04	RAL 7011	250	125	45°	35	50	277	175	2.5
44	0.00	RAL 7011	250	140	45°	35	50	298	190	2.5
45	1.30	RAL 7011	250	160	45°	35	50	326	210	2.5
46	0.00	RAL 7011	250	180	45°	35	50	355	230	2.5
47	1.52	RAL 7011	250	200	45°	35	50	383	250	2.5
48	0.00	RAL 7011	250	225	45°	35	50	418	275	2.5
49	0.00	RAL 7011	280	75	45°	40	50	206	125	2.5
50	0.00	RAL 7011	280	90	45°	40	50	227	140	2.5
51	0.00	RAL 7011	280	110	45°	40	50	256	160	2.5
52	0.00	RAL 7011	280	125	45°	40	50	277	175	2.5
53	1.62	RAL 7011	280	140	45°	40	50	298	190	2.5
54	1.64	RAL 7011	280	160	45°	40	50	326	210	2.5
55	0.00	RAL 7011	280	180	45°	40	50	355	230	2.5
56	0.00	RAL 7011	280	200	45°	40	50	383	250	2.5
57	0.00	RAL 7011	280	225	45°	40	50	418	275	2.5
58	2.30	RAL 7011	280	250	45°	40	50	454	300	2.5
59	1.30	RAL 7011	315	75	45°	40	50	206	125	4.0
60	0.00	RAL 7011	315	90	45°	40	50	227	140	4.0
61	1.52	RAL 7011	315	110	45°	40	50	256	160	4.0
62	0.00	RAL 7011	315	125	45°	40	50	277	175	4.0
63	0.00	RAL 7011	315	140	45°	40	50	298	190	4.0
64	0.00	RAL 7011	315	160	45°	40	50	326	210	4.0
65	2.00	RAL 7011	315	180	45°	40	50	355	230	4.0
66	2.04	RAL 7011	315	200	45°	40	50	383	250	4.0
67	2.34	RAL 7011	315	225	45°	40	50	418	275	4.0
68	2.66	RAL 7011	315	250	45°	40	50	454	300	4.0
69	0.00	RAL 7011	315	280	45°	40	50	496	330	4.0
70	0.00	RAL 7011	355	75	45°	40	50	206	125	3.0
71	0.00	RAL 7011	355	90	45°	40	50	227	140	3.0
72	1.94	RAL 7011	355	110	45°	40	50	256	160	3.0
73	2.04	RAL 7011	355	125	45°	40	50	277	175	3.0
74	0.00	RAL 7011	355	140	45°	40	50	298	190	3.0
75	0.00	RAL 7011	355	160	45°	40	50	326	210	3.0
76	0.00	RAL 7011	355	180	45°	40	50	355	230	3.0
77	2.60	RAL 7011	355	200	45°	40	50	383	250	3.0
78	0.00	RAL 7011	355	225	45°	40	50	418	275	3.0
79	3.44	RAL 7011	355	250	45°	40	50	454	300	3.0
80	0.00	RAL 7011	355	280	45°	40	50	496	330	3.0
81	0.00	RAL 7011	355	315	45°	40	50	545	365	3.0

#	HMOTNOST	FAR	DA1	DA2	W	L	LA	L1	L2	S
82	0.00	RAL 7011	400	75	45°	40	50	206	125	3.0
83	0.00	RAL 7011	400	90	45°	40	50	227	140	3.0
84	0.00	RAL 7011	400	110	45°	40	50	256	160	3.0
85	0.00	RAL 7011	400	125	45°	40	50	277	175	3.0
86	0.00	RAL 7011	400	140	45°	40	50	298	190	3.0
87	0.00	RAL 7011	400	160	45°	40	50	326	210	3.0
88	0.00	RAL 7011	400	180	45°	40	50	355	230	3.0
89	2.98	RAL 7011	400	200	45°	40	50	383	250	3.0
90	0.00	RAL 7011	400	225	45°	40	50	418	275	3.0
91	3.78	RAL 7011	400	250	45°	40	50	454	300	3.0
92	0.00	RAL 7011	400	280	45°	40	50	496	330	3.0
93	0.00	RAL 7011	400	315	45°	40	50	545	365	3.0
94	0.00	RAL 7011	400	355	45°	40	50	602	405	3.0
95	0.00	RAL 7011	450	75	45°	50	50	138	90	3.6
96	0.00	RAL 7011	450	90	45°	50	50	164	108	3.6
97	0.00	RAL 7011	450	110	45°	50	50	200	132	3.6
98	0.00	RAL 7011	450	125	45°	50	50	228	150	3.6
99	0.00	RAL 7011	450	140	45°	50	50	254	168	3.6
100	0.00	RAL 7011	450	160	45°	50	50	292	192	3.6
101	0.00	RAL 7011	450	180	45°	50	50	328	216	3.6
102	0.00	RAL 7011	450	200	45°	50	50	364	240	3.6
103	0.00	RAL 7011	450	225	45°	50	50	410	270	3.6
104	5.60	RAL 7011	450	250	45°	50	50	454	300	3.6
105	0.00	RAL 7011	450	280	45°	50	50	508	336	3.6
106	0.00	RAL 7011	450	315	45°	50	50	574	378	3.6
107	0.00	RAL 7011	450	355	45°	50	50	646	426	3.6
108	0.00	RAL 7011	450	400	45°	50	50	726	480	3.6
109	0.00	RAL 7011	500	75	45°	50	50	138	90	5.0
110	0.00	RAL 7011	500	90	45°	50	50	164	108	5.0
111	0.00	RAL 7011	500	110	45°	50	50	200	132	5.0
112	0.00	RAL 7011	500	125	45°	50	50	228	150	5.0
113	0.00	RAL 7011	500	140	45°	50	50	254	168	5.0
114	0.00	RAL 7011	500	160	45°	50	50	292	192	5.0
115	0.00	RAL 7011	500	180	45°	50	50	328	216	5.0
116	0.00	RAL 7011	500	200	45°	50	50	364	240	5.0
117	0.00	RAL 7011	500	225	45°	50	50	410	270	5.0
118	0.00	RAL 7011	500	250	45°	50	50	454	300	5.0
119	0.00	RAL 7011	500	280	45°	50	50	508	336	5.0
120	0.00	RAL 7011	500	315	45°	50	50	574	378	5.0
121	0.00	RAL 7011	500	355	45°	50	50	646	426	5.0
122	0.00	RAL 7011	500	400	45°	50	50	726	480	5.0
123	0.00	RAL 7011	500	450	45°	50	50	818	540	5.0
124	0.00	RAL 7011	600	75	45°	60	50	138	90	5.0
125	0.00	RAL 7011	600	90	45°	60	50	164	108	5.0
126	0.00	RAL 7011	600	110	45°	60	50	200	132	5.0
127	0.00	RAL 7011	600	125	45°	60	50	228	150	5.0
128	0.00	RAL 7011	600	140	45°	60	50	254	168	5.0
129	0.00	RAL 7011	600	160	45°	60	50	292	192	5.0
130	0.00	RAL 7011	600	180	45°	60	50	328	216	5.0
131	0.00	RAL 7011	600	200	45°	60	50	364	240	5.0

#	HMOTNOST	FAR	DA1	DA2	W	L	LA	L1	L2	S
132	0.00	RAL 7011	600	225	45°	60	50	410	270	5.0
133	0.00	RAL 7011	600	250	45°	60	50	454	300	5.0
134	0.00	RAL 7011	600	280	45°	60	50	508	336	5.0
135	0.00	RAL 7011	600	315	45°	60	50	574	378	5.0
136	0.00	RAL 7011	600	355	45°	60	50	646	426	5.0
137	0.00	RAL 7011	600	400	45°	60	50	726	480	5.0
138	0.00	RAL 7011	600	450	45°	60	50	818	540	5.0
139	17.00	RAL 7011	600	500	45°	60	50	908	600	5.0
140	0.00	RAL 7011	1200	600	45°	120	60	1090	720	12.0

PE

#	HMOTNOST	FAR	DA1	DA2	W	L	LA	L1	L2	S
141	0.00	Black	90	75	45°	40	40	242	125	3.0
142	0.00	Black	110	75	45°	40	40	232	125	3.0
143	0.00	Black	110	90	45°	40	40	253	140	3.0
144	0.00	Black	125	75	45°	40	40	242	125	3.0
145	0.00	Black	125	90	45°	40	40	263	140	3.0
146	0.00	Black	125	110	45°	40	40	292	160	3.0
147	0.00	Black	140	75	45°	40	40	242	125	3.0
148	0.00	Black	140	90	45°	40	40	263	140	3.0
149	0.00	Black	140	110	45°	40	40	292	160	3.0
150	0.00	Black	140	125	45°	40	40	313	175	3.0
151	0.00	Black	160	75	45°	40	40	232	125	3.0
152	0.00	Black	160	90	45°	40	40	253	140	3.0
153	0.88	Black	160	110	45°	40	40	282	160	3.0
154	0.88	Black	160	125	45°	40	40	303	175	3.0
155	0.00	Black	160	140	45°	40	40	324	190	3.0
156	0.00	Black	180	75	45°	40	40	242	125	3.0
157	0.00	Black	180	90	45°	40	40	263	140	3.0
158	0.00	Black	180	110	45°	40	40	292	160	3.0
159	0.00	Black	180	125	45°	40	40	313	175	3.0
160	0.00	Black	180	140	45°	40	40	334	190	3.0
161	0.00	Black	180	160	45°	40	40	362	210	3.0
162	0.00	Black	200	75	45°	40	40	232	125	4.0
163	0.00	Black	200	90	45°	40	40	253	140	4.0
164	0.00	Black	200	110	45°	40	40	282	160	4.0
165	0.00	Black	200	125	45°	40	40	303	175	4.0
166	0.00	Black	200	140	45°	40	40	324	190	4.0
167	0.00	Black	200	160	45°	40	40	352	210	4.0
168	0.00	Black	200	180	45°	40	40	381	230	4.0
169	0.00	Black	225	75	45°	40	40	242	125	4.0
170	0.00	Black	225	90	45°	40	40	263	140	4.0
171	0.00	Black	225	110	45°	40	40	292	160	4.0
172	0.00	Black	225	125	45°	40	40	313	175	3.5
173	0.00	Black	225	140	45°	40	40	334	190	3.5
174	0.00	Black	225	160	45°	40	40	362	210	3.5
175	0.00	Black	225	180	45°	40	40	391	230	3.5
176	0.00	Black	225	200	45°	40	40	419	250	3.5

#	HMOTNOST	FAR	DA1	DA2	W	L	LA	L1	L2	S
177	0.00	Black	250	75	45°	40	40	232	125	3.5
178	0.00	Black	250	90	45°	40	40	253	140	3.5
179	1.74	Black	250	110	45°	40	40	282	160	3.5
180	0.00	Black	250	125	45°	40	40	303	175	3.5
181	0.00	Black	250	140	45°	40	40	324	190	3.5
182	0.00	Black	250	160	45°	40	40	352	210	3.5
183	0.00	Black	250	180	45°	40	40	381	230	3.5
184	0.00	Black	250	200	45°	40	40	409	250	3.5
185	0.00	Black	250	225	45°	40	40	444	275	3.5
186	0.00	Black	280	75	45°	50	40	242	125	4.0
187	0.00	Black	280	90	45°	50	40	263	140	4.0
188	0.00	Black	280	110	45°	50	40	292	160	4.0
189	0.00	Black	280	125	45°	50	40	313	175	4.0
190	0.00	Black	280	140	45°	50	40	334	190	4.0
191	0.00	Black	280	160	45°	50	40	362	210	4.0
192	0.00	Black	280	180	45°	50	40	391	230	4.0
193	0.00	Black	280	200	45°	50	40	419	250	4.0
194	0.00	Black	280	225	45°	50	40	454	275	4.0
195	0.00	Black	280	250	45°	50	40	490	300	4.0
196	0.00	Black	315	75	45°	50	40	242	125	5.0
197	0.00	Black	315	90	45°	50	40	263	140	5.0
198	0.00	Black	315	110	45°	50	40	292	160	5.0
199	0.00	Black	315	125	45°	50	40	313	175	5.0
200	0.00	Black	315	140	45°	50	40	334	190	5.0
201	0.00	Black	315	160	45°	50	40	362	210	5.0
202	0.00	Black	315	180	45°	50	40	391	230	5.0
203	0.00	Black	315	200	45°	50	40	419	250	5.0
204	0.00	Black	315	225	45°	50	40	454	275	5.0
205	0.00	Black	315	250	45°	50	40	490	300	5.0
206	5.92	Black	315	280	45°	50	50	532	330	5.0
207	0.00	Black	355	75	45°	50	40	242	125	5.0
208	0.00	Black	355	90	45°	50	40	263	140	5.0
209	0.00	Black	355	110	45°	50	40	292	160	5.0
210	0.00	Black	355	125	45°	50	40	313	175	5.0
211	0.00	Black	355	140	45°	50	40	334	190	5.0
212	0.00	Black	355	160	45°	50	40	362	210	5.0
213	0.00	Black	355	180	45°	50	40	391	230	5.0
214	0.00	Black	355	200	45°	50	40	419	250	5.0
215	0.00	Black	355	225	45°	50	40	454	275	5.0
216	0.00	Black	355	250	45°	50	40	490	300	5.0
217	0.00	Black	355	280	45°	50	50	532	330	5.0
218	0.00	Black	355	315	45°	50	50	581	365	5.0
219	0.00	Black	400	75	45°	50	40	242	125	6.0
220	0.00	Black	400	90	45°	50	40	263	140	6.0
221	0.00	Black	400	110	45°	50	40	292	160	6.0
222	0.00	Black	400	125	45°	50	40	313	175	6.0
223	0.00	Black	400	140	45°	50	40	334	190	6.0
224	0.00	Black	400	160	45°	50	40	362	210	6.0
225	0.00	Black	400	180	45°	50	40	391	230	6.0
226	0.00	Black	400	200	45°	50	40	419	250	6.0

#	HMOTNOST	FAR	DA1	DA2	W	L	LA	L1	L2	S
227	0.00	Black	400	225	45°	50	40	454	275	6.0
228	0.00	Black	400	250	45°	50	40	490	300	6.0
229	0.00	Black	400	280	45°	50	50	532	330	6.0
230	0.00	Black	400	315	45°	50	50	581	365	6.0
231	0.00	Black	400	355	45°	50	50	638	405	6.0
232	0.00	Black	450	75	45°	50	40	138	90	5.0
233	0.00	Black	450	90	45°	50	40	164	108	5.0
234	0.00	Black	450	110	45°	50	40	200	132	5.0
235	0.00	Black	450	125	45°	50	40	228	150	5.0
236	0.00	Black	450	140	45°	50	40	254	168	5.0
237	0.00	Black	450	160	45°	50	40	292	192	5.0
238	0.00	Black	450	180	45°	50	40	328	216	5.0
239	0.00	Black	450	200	45°	50	40	364	240	5.0
240	0.00	Black	450	225	45°	50	40	410	270	5.0
241	0.00	Black	450	250	45°	50	40	454	300	5.0
242	0.00	Black	450	280	45°	50	50	508	336	5.0
243	0.00	Black	450	315	45°	50	50	574	378	5.0
244	0.00	Black	450	355	45°	50	50	646	426	5.0
245	0.00	Black	450	400	45°	50	50	726	480	5.0
246	0.00	Black	500	75	45°	50	40	138	90	5.0
247	0.00	Black	500	90	45°	50	40	164	108	5.0
248	0.00	Black	500	110	45°	50	40	200	132	5.0
249	0.00	Black	500	125	45°	50	40	228	150	5.0
250	0.00	Black	500	140	45°	50	40	254	168	5.0
251	0.00	Black	500	160	45°	50	40	292	192	5.0
252	0.00	Black	500	180	45°	50	40	328	216	5.0
253	0.00	Black	500	200	45°	50	40	364	240	5.0
254	0.00	Black	500	225	45°	50	40	410	270	5.0
255	0.00	Black	500	250	45°	50	40	454	300	5.0
256	0.00	Black	500	280	45°	50	50	508	336	5.0
257	0.00	Black	500	315	45°	50	50	574	378	5.0
258	0.00	Black	500	355	45°	50	50	646	426	5.0
259	0.00	Black	500	400	45°	50	50	726	480	5.0
260	0.00	Black	500	450	45°	50	50	818	540	5.0
261	0.00	Black	560	75	45°	60	40	138	90	6.0
262	0.00	Black	560	90	45°	60	40	164	108	6.0
263	0.00	Black	560	110	45°	60	40	200	132	6.0
264	0.00	Black	560	125	45°	60	40	228	150	6.0
265	0.00	Black	560	140	45°	60	40	254	168	6.0
266	0.00	Black	560	160	45°	60	40	292	192	6.0
267	0.00	Black	560	180	45°	60	40	328	216	6.0
268	0.00	Black	560	200	45°	60	40	364	240	6.0
269	0.00	Black	560	225	45°	60	40	410	270	6.0
270	0.00	Black	560	250	45°	60	40	454	300	6.0
271	0.00	Black	560	280	45°	60	40	508	336	6.0
272	0.00	Black	560	315	45°	60	40	574	378	6.0
273	0.00	Black	560	355	45°	60	40	646	426	6.0
274	0.00	Black	560	400	45°	60	40	726	480	6.0
275	0.00	Black	560	450	45°	60	40	818	540	6.0
276	0.00	Black	560	500	45°	60	40	908	600	6.0

#	HMOTNOST	FAR	DA1	DA2	W	L	LA	L1	L2	S
277	0.00	Black	600	75	45°	60	40	138	90	6.0
278	0.00	Black	600	90	45°	60	40	164	108	6.0
279	0.00	Black	600	110	45°	60	40	200	132	6.0
280	0.00	Black	600	125	45°	60	40	228	150	6.0
281	0.00	Black	600	140	45°	60	40	254	168	6.0
282	0.00	Black	600	160	45°	60	40	292	192	6.0
283	0.00	Black	600	180	45°	60	40	328	216	6.0
284	0.00	Black	600	200	45°	60	40	364	240	6.0
285	0.00	Black	600	225	45°	60	40	410	270	6.0
286	0.00	Black	600	250	45°	60	40	545	300	6.0
287	0.00	Black	600	280	45°	60	50	508	336	6.0
288	0.00	Black	600	315	45°	60	50	574	378	6.0
289	0.00	Black	600	355	45°	60	50	646	426	6.0
290	0.00	Black	600	400	45°	60	50	726	480	6.0
291	0.00	Black	600	450	45°	60	50	818	540	6.0
292	0.00	Black	600	500	45°	60	50	908	600	6.0
293	0.00	Black	600	560	45°	60	60	1016	672	6.0
294	0.00	Black	710	500	45°	80	50	908	600	6.0

PP

#	HMOTNOST	FAR	DA1	DA2	W	L	LA	L1	L2	S
295	0.00	RAL 7032	90	75	45°	40	40	138	90	3.0
296	0.00	RAL 7032	110	75	45°	40	40	138	90	3.0
297	0.00	RAL 7032	110	90	45°	40	40	164	108	3.0
298	0.00	RAL 7032	125	75	45°	40	40	138	90	3.0
299	0.00	RAL 7032	125	90	45°	40	40	164	108	3.0
300	0.00	RAL 7032	125	110	45°	40	40	200	132	3.0
301	0.00	RAL 7032	140	75	45°	40	40	138	90	3.0
302	0.00	RAL 7032	140	90	45°	40	40	164	108	3.0
303	0.00	RAL 7032	140	110	45°	40	40	200	132	3.0
304	0.00	RAL 7032	140	125	45°	40	40	228	150	3.0
305	0.00	RAL 7032	160	75	45°	40	40	138	90	3.0
306	0.00	RAL 7032	160	90	45°	40	40	164	108	3.0
307	0.00	RAL 7032	160	110	45°	40	40	200	132	3.0
308	0.00	RAL 7032	160	125	45°	40	40	228	150	3.0
309	0.00	RAL 7032	160	140	45°	40	40	254	168	3.0
310	0.00	RAL 7032	180	75	45°	40	40	138	90	3.0
311	0.00	RAL 7032	180	90	45°	40	40	164	108	3.0
312	0.00	RAL 7032	180	110	45°	40	40	200	132	3.0
313	0.00	RAL 7032	180	125	45°	40	40	228	150	3.0
314	0.00	RAL 7032	180	140	45°	40	40	254	168	3.0
315	0.00	RAL 7032	180	160	45°	40	40	292	192	3.0
316	0.00	RAL 7032	200	75	45°	40	40	138	90	4.0
317	0.00	RAL 7032	200	90	45°	40	40	164	108	4.0
318	0.00	RAL 7032	200	110	45°	40	40	200	132	4.0
319	0.00	RAL 7032	200	125	45°	40	40	228	150	4.0
320	0.00	RAL 7032	200	140	45°	40	40	254	168	4.0
321	0.00	RAL 7032	200	160	45°	40	40	292	192	4.0

#	HMOTNOST	FAR	DA1	DA2	W	L	LA	L1	L2	S
322	0.00	RAL 7032	200	180	45°	40	40	328	216	4.0
323	0.00	RAL 7032	225	75	45°	40	40	138	90	4.0
324	0.00	RAL 7032	225	90	45°	40	40	164	108	4.0
325	0.00	RAL 7032	225	110	45°	40	40	200	132	4.0
326	0.00	RAL 7032	225	125	45°	40	40	228	150	3.5
327	0.00	RAL 7032	225	140	45°	40	40	254	168	3.5
328	0.00	RAL 7032	225	160	45°	40	40	292	192	3.5
329	0.00	RAL 7032	225	180	45°	40	40	328	216	3.5
330	0.00	RAL 7032	225	200	45°	40	40	364	240	3.5
331	0.00	RAL 7032	250	75	45°	40	40	138	90	3.5
332	0.00	RAL 7032	250	90	45°	40	40	164	108	3.5
333	0.00	RAL 7032	250	110	45°	40	40	200	132	3.5
334	0.00	RAL 7032	250	125	45°	40	40	228	150	3.5
335	0.00	RAL 7032	250	140	45°	40	40	254	168	3.5
336	0.00	RAL 7032	250	160	45°	40	40	292	192	3.5
337	0.00	RAL 7032	250	180	45°	40	40	328	216	3.5
338	1.68	RAL 7032	250	200	45°	40	40	364	240	3.5
339	0.00	RAL 7032	250	225	45°	40	40	410	270	3.5
340	0.00	RAL 7032	280	75	45°	50	40	138	90	4.0
341	0.00	RAL 7032	280	90	45°	50	40	164	108	4.0
342	0.00	RAL 7032	280	110	45°	50	40	200	132	4.0
343	0.00	RAL 7032	280	125	45°	50	40	228	150	4.0
344	0.00	RAL 7032	280	140	45°	50	40	254	168	4.0
345	2.68	RAL 7032	280	160	45°	50	40	292	192	4.0
346	0.00	RAL 7032	280	180	45°	50	40	328	216	4.0
347	0.00	RAL 7032	280	200	45°	50	40	364	240	4.0
348	0.00	RAL 7032	280	225	45°	50	40	410	270	4.0
349	0.00	RAL 7032	280	250	45°	50	40	454	300	4.0
350	0.00	RAL 7032	315	75	45°	50	40	138	90	5.0
351	0.00	RAL 7032	315	90	45°	50	40	164	108	5.0
352	2.02	RAL 7032	315	110	45°	50	40	200	132	5.0
353	0.00	RAL 7032	315	125	45°	50	40	228	150	5.0
354	0.00	RAL 7032	315	140	45°	50	40	254	168	5.0
355	3.20	RAL 7032	315	160	45°	50	40	292	192	5.0
356	0.00	RAL 7032	315	180	45°	50	40	328	216	5.0
357	0.00	RAL 7032	315	200	45°	50	40	364	240	5.0
358	0.00	RAL 7032	315	225	45°	50	40	410	270	5.0
359	3.22	RAL 7032	315	250	45°	50	40	454	300	5.0
360	0.00	RAL 7032	315	280	45°	50	50	508	336	5.0
361	0.00	RAL 7032	355	75	45°	50	40	138	90	5.0
362	0.00	RAL 7032	355	90	45°	50	40	164	108	5.0
363	0.00	RAL 7032	355	110	45°	50	40	200	132	5.0
364	0.00	RAL 7032	355	125	45°	50	40	228	150	5.0
365	0.00	RAL 7032	355	140	45°	50	40	254	168	5.0
366	0.00	RAL 7032	355	160	45°	50	40	292	192	5.0
367	0.00	RAL 7032	355	180	45°	50	40	328	216	5.0
368	0.00	RAL 7032	355	200	45°	50	40	364	240	5.0
369	0.00	RAL 7032	355	225	45°	50	40	410	270	5.0
370	0.00	RAL 7032	355	250	45°	50	40	454	300	5.0
371	0.00	RAL 7032	355	280	45°	50	50	508	336	5.0

#	HMOTNOST	FAR	DA1	DA2	W	L	LA	L1	L2	S
372	4.56	RAL 7032	355	315	45°	50	50	574	378	5.0
373	0.00	RAL 7032	400	75	45°	50	40	138	90	6.0
374	0.00	RAL 7032	400	90	45°	50	40	164	108	6.0
375	0.00	RAL 7032	400	110	45°	50	40	200	132	6.0
376	0.00	RAL 7032	400	125	45°	50	40	228	150	6.0
377	0.00	RAL 7032	400	140	45°	50	40	254	168	6.0
378	0.00	RAL 7032	400	160	45°	50	40	292	192	6.0
379	0.00	RAL 7032	400	180	45°	50	40	328	216	6.0
380	0.00	RAL 7032	400	200	45°	50	40	364	240	6.0
381	0.00	RAL 7032	400	225	45°	50	40	410	270	6.0
382	4.66	RAL 7032	400	250	45°	50	40	454	300	6.0
383	0.00	RAL 7032	400	280	45°	50	50	508	336	6.0
384	5.78	RAL 7032	400	315	45°	50	50	574	378	6.0
385	0.00	RAL 7032	400	355	45°	50	50	646	426	6.0
386	0.00	RAL 7032	450	75	45°	50	40	138	90	5.0
387	0.00	RAL 7032	450	90	45°	50	40	164	108	5.0
388	0.00	RAL 7032	450	110	45°	50	40	200	132	5.0
389	0.00	RAL 7032	450	125	45°	50	40	228	150	5.0
390	0.00	RAL 7032	450	140	45°	50	40	254	168	5.0
391	0.00	RAL 7032	450	160	45°	50	40	292	192	5.0
392	0.00	RAL 7032	450	180	45°	50	40	328	216	5.0
393	0.00	RAL 7032	450	200	45°	50	40	364	240	5.0
394	0.00	RAL 7032	450	225	45°	50	40	410	270	5.0
395	0.00	RAL 7032	450	250	45°	50	40	454	300	5.0
396	0.00	RAL 7032	450	280	45°	50	50	508	336	5.0
397	0.00	RAL 7032	450	315	45°	50	50	574	378	5.0
398	0.00	RAL 7032	450	355	45°	50	50	646	426	5.0
399	0.00	RAL 7032	450	400	45°	50	50	726	480	5.0
400	0.00	RAL 7032	500	75	45°	50	40	138	90	5.0
401	0.00	RAL 7032	500	90	45°	50	40	164	108	5.0
402	0.00	RAL 7032	500	110	45°	50	40	200	132	5.0
403	0.00	RAL 7032	500	125	45°	50	40	228	150	5.0
404	0.00	RAL 7032	500	140	45°	50	40	254	168	5.0
405	0.00	RAL 7032	500	160	45°	50	40	292	192	5.0
406	0.00	RAL 7032	500	180	45°	50	40	328	216	5.0
407	0.00	RAL 7032	500	200	45°	50	40	364	240	5.0
408	0.00	RAL 7032	500	225	45°	50	40	410	270	5.0
409	0.00	RAL 7032	500	250	45°	50	40	454	300	5.0
410	0.00	RAL 7032	500	280	45°	50	50	508	336	5.0
411	0.00	RAL 7032	500	315	45°	50	50	574	378	5.0
412	0.00	RAL 7032	500	355	45°	50	50	646	426	5.0
413	0.00	RAL 7032	500	400	45°	50	50	726	480	5.0
414	0.00	RAL 7032	500	450	45°	50	50	818	540	5.0
415	0.00	RAL 7032	560	75	45°	60	40	138	90	6.0
416	0.00	RAL 7032	560	90	45°	60	40	164	108	6.0
417	0.00	RAL 7032	560	110	45°	60	40	200	132	6.0
418	0.00	RAL 7032	560	125	45°	60	40	228	150	6.0
419	0.00	RAL 7032	560	140	45°	60	40	254	168	6.0
420	0.00	RAL 7032	560	160	45°	60	40	292	192	6.0
421	0.00	RAL 7032	560	180	45°	60	40	328	216	6.0

#	HMOTNOST	FAR	DA1	DA2	W	L	LA	L1	L2	S
422	0.00	RAL 7032	560	200	45°	60	40	364	240	6.0
423	0.00	RAL 7032	560	225	45°	60	40	410	270	6.0
424	0.00	RAL 7032	560	250	45°	60	40	454	300	6.0
425	0.00	RAL 7032	560	280	45°	60	40	508	336	6.0
426	0.00	RAL 7032	560	315	45°	60	40	574	378	6.0
427	0.00	RAL 7032	560	355	45°	60	40	646	426	6.0
428	0.00	RAL 7032	560	400	45°	60	40	726	480	6.0
429	0.00	RAL 7032	560	450	45°	60	40	818	540	6.0
430	0.00	RAL 7032	560	500	45°	60	40	908	600	6.0
431	0.00	RAL 7032	600	75	45°	60	40	138	90	6.0
432	0.00	RAL 7032	600	90	45°	60	40	164	108	6.0
433	0.00	RAL 7032	600	110	45°	60	40	200	132	6.0
434	0.00	RAL 7032	600	125	45°	60	40	228	150	6.0
435	0.00	RAL 7032	600	140	45°	60	40	254	168	6.0
436	0.00	RAL 7032	600	160	45°	60	40	292	192	6.0
437	0.00	RAL 7032	600	180	45°	60	40	328	216	6.0
438	0.00	RAL 7032	600	200	45°	60	40	364	240	6.0
439	0.00	RAL 7032	600	225	45°	60	40	410	270	6.0
440	0.00	RAL 7032	600	250	45°	60	40	454	300	6.0
441	0.00	RAL 7032	600	280	45°	60	50	508	336	6.0
442	0.00	RAL 7032	600	315	45°	60	50	574	378	6.0
443	0.00	RAL 7032	600	355	45°	60	50	646	426	6.0
444	0.00	RAL 7032	600	400	45°	60	50	726	480	6.0
445	0.00	RAL 7032	600	450	45°	60	50	818	540	6.0
446	0.00	RAL 7032	600	500	45°	60	50	908	600	6.0
447	0.00	RAL 7032	600	560	45°	60	60	1016	672	6.0
448	0.00	RAL 7032	630	125	45°	70	40	228	150	6.0

PPs

#	HMOTNOST	FAR	DA1	DA2	W	L	LA	L1	L2	S
449	0.00	RAL 7037	75	50	45°	35	50	171	100	3.0
450	0.38	RAL 7037	90	75	45°	40	40	242	125	3.0
451	0.36	RAL 7037	110	75	45°	40	40	232	125	3.0
452	0.44	RAL 7037	110	90	45°	40	40	253	140	3.0
453	0.48	RAL 7037	125	75	45°	40	40	242	125	3.0
454	0.50	RAL 7037	125	90	45°	40	40	263	140	3.0
455	0.60	RAL 7037	125	110	45°	40	40	292	160	3.0
456	0.48	RAL 7037	140	63	45°	40	35	225	113	3.0
457	0.00	RAL 7037	140	75	45°	40	40	242	125	3.0
458	0.00	RAL 7037	140	90	45°	40	40	263	140	3.0
459	0.60	RAL 7037	140	110	45°	40	40	292	160	3.0
460	0.00	RAL 7037	140	125	45°	40	40	313	175	3.0
461	0.58	RAL 7037	160	75	45°	40	40	232	125	3.0
462	0.00	RAL 7037	160	90	45°	40	40	253	140	3.0
463	0.72	RAL 7037	160	110	45°	40	40	282	160	3.0
464	0.00	RAL 7037	160	125	45°	40	40	303	175	3.0
465	0.00	RAL 7037	160	140	45°	40	40	324	190	3.0
466	0.00	RAL 7037	180	75	45°	40	40	242	125	3.0

#	HMOTNOST	FAR	DA1	DA2	W	L	LA	L1	L2	S
467	0.00	RAL 7037	180	90	45°	40	40	263	140	3.0
468	0.00	RAL 7037	180	110	45°	40	40	292	160	3.0
469	0.00	RAL 7037	180	125	45°	40	40	313	175	3.0
470	0.00	RAL 7037	180	140	45°	40	40	334	190	3.0
471	0.00	RAL 7037	180	160	45°	40	40	362	210	3.0
472	0.00	RAL 7037	200	63	45°	40	35	215	113	4.0
473	0.00	RAL 7037	200	75	45°	40	40	232	125	4.0
474	0.00	RAL 7037	200	90	45°	40	40	253	140	4.0
475	0.88	RAL 7037	200	110	45°	40	40	282	160	4.0
476	0.00	RAL 7037	200	125	45°	40	40	303	175	4.0
477	0.00	RAL 7037	200	140	45°	40	40	324	190	4.0
478	1.02	RAL 7037	200	160	45°	40	40	352	210	4.0
479	0.00	RAL 7037	200	180	45°	40	40	381	230	4.0
480	0.00	RAL 7037	225	75	45°	40	40	242	125	4.0
481	0.00	RAL 7037	225	90	45°	40	40	263	140	4.0
482	0.00	RAL 7037	225	110	45°	40	40	292	160	4.0
483	0.00	RAL 7037	225	125	45°	40	40	313	175	3.5
484	0.00	RAL 7037	225	140	45°	40	40	334	190	3.5
485	0.00	RAL 7037	225	160	45°	40	40	362	210	3.5
486	0.00	RAL 7037	225	180	45°	40	40	391	230	3.5
487	0.00	RAL 7037	225	200	45°	40	40	419	250	3.5
488	0.94	RAL 7037	250	75	45°	40	40	232	125	3.5
489	0.00	RAL 7037	250	90	45°	40	40	253	140	3.5
490	1.12	RAL 7037	250	110	45°	40	40	282	160	3.5
491	1.32	RAL 7037	250	125	45°	40	40	303	175	3.5
492	0.00	RAL 7037	250	140	45°	40	40	324	190	3.5
493	1.42	RAL 7037	250	160	45°	40	40	352	210	3.5
494	0.00	RAL 7037	250	180	45°	40	40	381	230	3.5
495	1.72	RAL 7037	250	200	45°	40	40	409	250	3.5
496	0.00	RAL 7037	250	225	45°	40	40	444	275	3.5
497	0.00	RAL 7037	280	75	45°	50	40	242	125	4.0
498	0.00	RAL 7037	280	90	45°	50	40	263	140	4.0
499	0.00	RAL 7037	280	110	45°	50	40	292	160	4.0
500	0.00	RAL 7037	280	125	45°	50	40	313	175	4.0
501	0.00	RAL 7037	280	140	45°	50	40	334	190	4.0
502	1.94	RAL 7037	280	160	45°	50	40	362	210	4.0
503	0.00	RAL 7037	280	180	45°	50	40	391	230	4.0
504	2.14	RAL 7037	280	200	45°	50	40	419	250	4.0
505	0.00	RAL 7037	280	225	45°	50	40	454	275	4.0
506	0.00	RAL 7037	280	250	45°	50	40	490	300	4.0
507	0.00	RAL 7037	315	75	45°	50	40	242	125	5.0
508	0.00	RAL 7037	315	90	45°	50	40	263	140	5.0
509	2.10	RAL 7037	315	110	45°	50	40	292	160	5.0
510	2.26	RAL 7037	315	125	45°	50	40	313	175	5.0
511	0.00	RAL 7037	315	140	45°	50	40	334	190	5.0
512	2.30	RAL 7037	315	160	45°	50	40	362	210	5.0
513	0.00	RAL 7037	315	180	45°	50	40	391	230	5.0
514	2.60	RAL 7037	315	200	45°	50	40	419	250	5.0
515	0.00	RAL 7037	315	225	45°	50	40	454	275	5.0
516	3.10	RAL 7037	315	250	45°	50	40	490	300	5.0

#	HMOTNOST	FAR	DA1	DA2	W	L	LA	L1	L2	S
517	0.00	RAL 7037	315	280	45°	50	50	532	330	5.0
518	1.64	RAL 7037	355	75	45°	50	40	242	125	5.0
519	0.00	RAL 7037	355	90	45°	50	40	263	140	5.0
520	0.00	RAL 7037	355	110	45°	50	40	292	160	5.0
521	0.00	RAL 7037	355	125	45°	50	40	313	175	5.0
522	0.00	RAL 7037	355	140	45°	50	40	334	190	5.0
523	2.76	RAL 7037	355	160	45°	50	40	362	210	5.0
524	0.00	RAL 7037	355	180	45°	50	40	391	230	5.0
525	3.06	RAL 7037	355	200	45°	50	40	419	250	5.0
526	0.00	RAL 7037	355	225	45°	50	40	454	275	5.0
527	3.74	RAL 7037	355	250	45°	50	40	490	300	5.0
528	0.00	RAL 7037	355	280	45°	50	50	532	330	5.0
529	0.00	RAL 7037	355	315	45°	50	50	581	365	5.0
530	0.00	RAL 7037	400	75	45°	50	40	242	125	6.0
531	0.00	RAL 7037	400	90	45°	50	40	263	140	6.0
532	0.00	RAL 7037	400	110	45°	50	40	292	160	6.0
533	0.00	RAL 7037	400	125	45°	50	40	313	175	6.0
534	0.00	RAL 7037	400	140	45°	50	40	334	190	6.0
535	0.00	RAL 7037	400	160	45°	50	40	362	210	6.0
536	0.00	RAL 7037	400	180	45°	50	40	391	230	6.0
537	4.18	RAL 7037	400	200	45°	50	40	419	250	6.0
538	0.00	RAL 7037	400	225	45°	50	40	454	275	6.0
539	0.00	RAL 7037	400	250	45°	50	40	490	300	6.0
540	5.76	RAL 7037	400	280	45°	50	50	532	330	6.0
541	0.00	RAL 7037	400	315	45°	50	50	581	365	6.0
542	0.00	RAL 7037	400	355	45°	50	50	638	405	6.0
543	0.00	RAL 7037	450	75	45°	50	40	138	90	5.0
544	0.00	RAL 7037	450	90	45°	50	40	164	108	5.0
545	0.00	RAL 7037	450	110	45°	50	40	200	132	5.0
546	0.00	RAL 7037	450	125	45°	50	40	228	150	5.0
547	0.00	RAL 7037	450	140	45°	50	40	254	168	5.0
548	0.00	RAL 7037	450	160	45°	50	40	292	192	5.0
549	0.00	RAL 7037	450	180	45°	50	40	328	216	5.0
550	4.06	RAL 7037	450	200	45°	50	40	364	240	5.0
551	0.00	RAL 7037	450	225	45°	50	40	410	270	5.0
552	0.00	RAL 7037	450	250	45°	50	40	454	300	5.0
553	0.00	RAL 7037	450	280	45°	50	50	508	336	5.0
554	0.00	RAL 7037	450	315	45°	50	50	574	378	5.0
555	0.00	RAL 7037	450	355	45°	50	50	646	426	5.0
556	0.00	RAL 7037	450	400	45°	50	50	726	480	5.0
557	0.00	RAL 7037	500	75	45°	50	40	138	90	5.0
558	0.00	RAL 7037	500	90	45°	50	40	164	108	5.0
559	0.00	RAL 7037	500	110	45°	50	40	200	132	5.0
560	0.00	RAL 7037	500	125	45°	50	40	228	150	5.0
561	0.00	RAL 7037	500	140	45°	50	40	254	168	5.0
562	0.00	RAL 7037	500	160	45°	50	40	292	192	5.0
563	0.00	RAL 7037	500	180	45°	50	40	328	216	5.0
564	0.00	RAL 7037	500	200	45°	50	40	364	240	5.0
565	0.00	RAL 7037	500	225	45°	50	40	410	270	5.0
566	6.04	RAL 7037	500	250	45°	50	40	454	300	5.0

#	HMOTNOST	FAR	DA1	DA2	W	L	LA	L1	L2	S
567	0.00	RAL 7037	500	280	45°	50	50	508	336	5.0
568	0.00	RAL 7037	500	315	45°	50	50	574	378	5.0
569	8.16	RAL 7037	500	355	45°	50	50	646	426	5.0
570	0.00	RAL 7037	500	400	45°	50	50	726	480	5.0
571	0.00	RAL 7037	500	450	45°	50	50	818	540	5.0
572	0.00	RAL 7037	560	75	45°	60	40	138	90	6.0
573	0.00	RAL 7037	560	90	45°	60	40	164	108	6.0
574	0.00	RAL 7037	560	110	45°	60	40	200	132	6.0
575	0.00	RAL 7037	560	125	45°	60	40	228	150	6.0
576	0.00	RAL 7037	560	140	45°	60	40	254	168	6.0
577	0.00	RAL 7037	560	160	45°	60	40	292	192	6.0
578	0.00	RAL 7037	560	180	45°	60	40	328	216	6.0
579	0.00	RAL 7037	560	200	45°	60	40	364	240	6.0
580	0.00	RAL 7037	560	225	45°	60	40	410	270	6.0
581	0.00	RAL 7037	560	250	45°	60	40	454	300	6.0
582	0.00	RAL 7037	560	280	45°	60	40	508	336	6.0
583	0.00	RAL 7037	560	315	45°	60	40	574	378	6.0
584	0.00	RAL 7037	560	355	45°	60	40	646	426	6.0
585	0.00	RAL 7037	560	400	45°	60	40	726	480	6.0
586	0.00	RAL 7037	560	450	45°	60	40	818	540	6.0
587	0.00	RAL 7037	560	500	45°	60	40	908	600	6.0
588	0.00	RAL 7037	600	75	45°	60	40	138	90	6.0
589	0.00	RAL 7037	600	90	45°	60	40	164	108	6.0
590	0.00	RAL 7037	600	110	45°	60	40	200	132	6.0
591	0.00	RAL 7037	600	125	45°	60	40	228	150	6.0
592	0.00	RAL 7037	600	140	45°	60	40	254	168	6.0
593	0.00	RAL 7037	600	160	45°	60	40	292	192	6.0
594	0.00	RAL 7037	600	180	45°	60	40	328	216	6.0
595	0.00	RAL 7037	600	200	45°	60	40	364	240	6.0
596	0.00	RAL 7037	600	225	45°	60	40	410	270	6.0
597	0.00	RAL 7037	600	250	45°	60	40	454	300	6.0
598	0.00	RAL 7037	600	280	45°	60	50	508	336	6.0
599	0.00	RAL 7037	600	315	45°	60	50	574	378	6.0
600	0.00	RAL 7037	600	355	45°	60	50	646	426	6.0
601	0.00	RAL 7037	600	400	45°	60	50	726	480	6.0
602	0.00	RAL 7037	600	450	45°	60	50	818	540	6.0
603	0.00	RAL 7037	600	500	45°	60	50	908	600	6.0
604	0.00	RAL 7037	600	560	45°	60	60	1016	672	6.0
605	0.00	RAL 7037	630	125	45°	70	40	228	150	6.0
606	0.00	RAL 7037	630	160	45°	70	40	292	192	6.0
607	0.00	RAL 7037	630	200	45°	70	40	364	240	6.0
608	0.00	RAL 7037	630	450	45°	70	50	818	540	6.0
609	0.00	RAL 7037	630	500	45°	70	50	908	600	6.0
610	0.00	RAL 7037	800	110	45°	80	40	200	132	8.0
611	0.00	RAL 7037	800	400	45°	80	50	726	480	8.0
612	0.00	RAL 7037	800	500	45°	80	50	908	600	8.0

PVDF

#	HMOTNOST	FAR	DA1	DA2	W	L	LA	L1	L2	S
613	0.00	Natur	200	110	45°	40	40	282	160	4.0
614	0.00	Natur	250	110	45°	40	40	282	160	3.5
615	0.00	Natur	250	160	45°	40	40	352	210	3.5
616	0.00	Natur	315	110	45°	50	40	292	160	5.0
617	0.00	Natur	315	160	45°	50	40	362	210	5.0

PP-el-s

#	HMOTNOST	FAR	DA1	DA2	W	L	LA	L1	L2	S
618	1.92	Black	250	160	45°	40	40	352	210	3.5
619	3.18	Black	315	160	45°	50	40	362	210	5.0
620	3.54	Black	355	160	45°	50	40	362	210	5.0
621	0.00	Black	400	160	45°	50	40	362	210	6.0


PVC Weiß

#	HMOTNOST	FAR	DA1	DA2	W	L	LA	L1	L2	S
622	0.00	RAL 9010	90	75	45°	40	40	242	125	2.5
623	0.00	RAL 9010	110	75	45°	40	40	232	125	2.5
624	0.46	RAL 9010	110	90	45°	40	40	253	140	2.5
625	0.36	RAL 9010	125	75	45°	40	40	242	125	2.5
626	0.00	RAL 9010	125	90	45°	40	40	263	140	2.5
627	0.52	RAL 9010	125	110	45°	40	40	292	160	2.5
628	0.00	RAL 9010	140	75	45°	40	40	242	125	2.5
629	0.00	RAL 9010	140	90	45°	40	40	263	140	2.5
630	0.54	RAL 9010	140	110	45°	40	40	292	160	2.5
631	0.00	RAL 9010	140	125	45°	40	40	313	175	2.5
632	0.00	RAL 9010	160	75	45°	40	40	232	125	2.5
633	0.58	RAL 9010	160	90	45°	40	40	253	140	2.5
634	0.62	RAL 9010	160	110	45°	40	40	282	160	2.5
635	0.00	RAL 9010	160	125	45°	40	40	303	175	2.5
636	0.74	RAL 9010	160	140	45°	40	40	324	190	2.5
637	0.00	RAL 9010	180	75	45°	40	40	242	125	2.5
638	0.00	RAL 9010	180	90	45°	40	40	263	140	2.5
639	0.66	RAL 9010	180	110	45°	40	40	292	160	2.5
640	0.00	RAL 9010	180	125	45°	40	40	313	175	2.5
641	0.00	RAL 9010	180	140	45°	40	40	334	190	2.5
642	0.00	RAL 9010	180	160	45°	40	40	362	210	2.5
643	0.00	RAL 9010	200	63	45°	40	35	215	113	2.5
644	0.00	RAL 9010	200	75	45°	40	40	232	125	2.5
645	0.00	RAL 9010	200	90	45°	40	40	253	140	2.5
646	0.70	RAL 9010	200	110	45°	40	40	282	160	2.5
647	0.00	RAL 9010	200	125	45°	40	40	303	175	2.5
648	0.00	RAL 9010	200	140	45°	40	40	324	190	2.5
649	0.00	RAL 9010	200	160	45°	40	40	352	210	2.5

#	HMOTNOST	FAR	DA1	DA2	W	L	LA	L1	L2	S
650	0.00	RAL 9010	200	180	45°	40	40	381	230	2.5
651	0.00	RAL 9010	225	75	45°	40	40	242	125	2.5
652	0.00	RAL 9010	225	90	45°	40	40	263	140	2.5
653	0.00	RAL 9010	225	110	45°	40	40	292	160	2.5
654	0.00	RAL 9010	225	125	45°	40	40	313	175	2.5
655	0.00	RAL 9010	225	140	45°	40	40	334	190	2.5
656	0.00	RAL 9010	225	160	45°	40	40	362	210	2.5
657	0.00	RAL 9010	225	180	45°	40	40	391	230	2.5
658	0.00	RAL 9010	225	200	45°	40	40	419	250	2.5
659	0.00	RAL 9010	250	75	45°	40	40	232	125	2.5
660	0.00	RAL 9010	250	90	45°	40	40	253	140	2.5
661	0.76	RAL 9010	250	110	45°	40	40	282	160	2.5
662	1.28	RAL 9010	250	125	45°	40	40	303	175	2.5
663	0.00	RAL 9010	250	140	45°	40	40	324	190	2.5
664	0.00	RAL 9010	250	160	45°	40	40	352	210	2.5
665	0.00	RAL 9010	250	180	45°	40	40	381	230	2.5
666	1.84	RAL 9010	250	200	45°	40	40	409	250	2.5
667	0.00	RAL 9010	250	225	45°	40	40	444	275	2.5
668	0.00	RAL 9010	280	75	45°	50	40	242	125	2.5
669	0.00	RAL 9010	280	90	45°	50	40	263	140	2.5
670	0.00	RAL 9010	280	110	45°	50	40	292	160	2.5
671	0.00	RAL 9010	280	125	45°	50	40	313	175	2.5
672	1.62	RAL 9010	280	140	45°	50	40	334	190	2.5
673	1.64	RAL 9010	280	160	45°	50	40	362	210	2.5
674	0.00	RAL 9010	280	180	45°	50	40	391	230	2.5
675	0.00	RAL 9010	280	200	45°	50	40	419	250	2.5
676	0.00	RAL 9010	280	225	45°	50	40	454	275	2.5
677	0.00	RAL 9010	280	250	45°	50	40	490	300	2.5
678	0.00	RAL 9010	315	75	45°	50	40	242	125	4.0
679	0.00	RAL 9010	315	90	45°	50	40	263	140	4.0
680	0.00	RAL 9010	315	110	45°	50	40	292	160	4.0
681	0.00	RAL 9010	315	125	45°	50	40	313	175	4.0
682	0.00	RAL 9010	315	140	45°	50	40	334	190	4.0
683	0.00	RAL 9010	315	160	45°	50	40	362	210	4.0
684	0.00	RAL 9010	315	180	45°	50	40	391	230	4.0
685	2.04	RAL 9010	315	200	45°	50	40	419	250	4.0
686	0.00	RAL 9010	315	225	45°	50	40	454	275	4.0
687	0.00	RAL 9010	315	250	45°	50	40	490	300	4.0
688	0.00	RAL 9010	315	280	45°	50	50	532	330	4.0
689	0.00	RAL 9010	355	75	45°	50	40	242	125	3.0
690	0.00	RAL 9010	355	90	45°	50	40	263	140	3.0
691	0.00	RAL 9010	355	110	45°	50	40	292	160	3.0
692	0.00	RAL 9010	355	125	45°	50	40	313	175	3.0
693	0.00	RAL 9010	355	140	45°	50	40	334	190	3.0
694	0.00	RAL 9010	355	160	45°	50	40	362	210	3.0
695	0.00	RAL 9010	355	180	45°	50	40	391	230	3.0
696	0.00	RAL 9010	355	200	45°	50	40	419	250	3.0
697	0.00	RAL 9010	355	225	45°	50	40	454	275	3.0
698	0.00	RAL 9010	355	250	45°	50	40	490	300	3.0
699	0.00	RAL 9010	355	280	45°	50	50	532	330	3.0

#	HMOTNOST	FAR	DA1	DA2	W	L	LA	L1	L2	S
700	0.00	RAL 9010	355	315	45°	50	50	581	365	3.0
701	0.00	RAL 9010	400	75	45°	50	40	242	125	3.0
702	0.00	RAL 9010	400	90	45°	50	40	263	140	3.0
703	0.00	RAL 9010	400	110	45°	50	40	292	160	3.0
704	0.00	RAL 9010	400	125	45°	50	40	313	175	3.0
705	0.00	RAL 9010	400	140	45°	50	40	334	190	3.0
706	0.00	RAL 9010	400	160	45°	50	40	362	210	3.0
707	0.00	RAL 9010	400	180	45°	50	40	391	230	3.0
708	2.98	RAL 9010	400	200	45°	50	40	419	250	3.0
709	0.00	RAL 9010	400	225	45°	50	40	454	275	3.0
710	0.00	RAL 9010	400	250	45°	50	40	490	300	3.0
711	0.00	RAL 9010	400	280	45°	50	50	532	330	3.0
712	0.00	RAL 9010	400	315	45°	50	50	581	365	3.0
713	0.00	RAL 9010	400	355	45°	50	50	638	405	3.0
714	0.00	RAL 9010	450	75	45°	50	35	138	90	3.6
715	0.00	RAL 9010	450	90	45°	50	35	164	108	3.6
716	0.00	RAL 9010	450	110	45°	50	35	200	132	3.6
717	0.00	RAL 9010	450	125	45°	50	35	228	150	3.6
718	0.00	RAL 9010	450	140	45°	50	35	254	168	3.6
719	0.00	RAL 9010	450	160	45°	50	35	292	192	3.6
720	0.00	RAL 9010	450	180	45°	50	35	328	216	3.6
721	0.00	RAL 9010	450	200	45°	50	35	364	240	3.6
722	0.00	RAL 9010	450	225	45°	50	35	410	270	3.6
723	5.60	RAL 9010	450	250	45°	50	35	454	300	3.6
724	0.00	RAL 9010	450	280	45°	50	40	508	336	3.6
725	0.00	RAL 9010	450	315	45°	50	40	574	378	3.6
726	0.00	RAL 9010	450	355	45°	50	40	646	426	3.6
727	0.00	RAL 9010	450	400	45°	50	40	726	480	3.6
728	0.00	RAL 9010	500	75	45°	50	35	138	90	5.0
729	0.00	RAL 9010	500	90	45°	50	35	164	108	5.0
730	0.00	RAL 9010	500	110	45°	50	35	200	132	5.0
731	0.00	RAL 9010	500	125	45°	50	35	228	150	5.0
732	0.00	RAL 9010	500	140	45°	50	35	254	168	5.0
733	0.00	RAL 9010	500	160	45°	50	35	292	192	5.0
734	0.00	RAL 9010	500	180	45°	50	35	328	216	5.0
735	0.00	RAL 9010	500	200	45°	50	35	364	240	5.0
736	0.00	RAL 9010	500	225	45°	50	35	410	270	5.0
737	0.00	RAL 9010	500	250	45°	50	35	454	300	5.0
738	0.00	RAL 9010	500	280	45°	50	40	508	336	5.0
739	0.00	RAL 9010	500	315	45°	50	40	574	378	5.0
740	0.00	RAL 9010	500	355	45°	50	40	646	426	5.0
741	0.00	RAL 9010	500	400	45°	50	40	726	480	5.0
742	0.00	RAL 9010	500	450	45°	50	50	818	540	5.0
743	0.00	RAL 9010	600	75	45°	60	35	138	90	5.0
744	0.00	RAL 9010	600	90	45°	60	35	164	108	5.0
745	0.00	RAL 9010	600	110	45°	60	35	200	132	5.0
746	0.00	RAL 9010	600	125	45°	60	35	228	150	5.0
747	0.00	RAL 9010	600	140	45°	60	35	254	168	5.0
748	0.00	RAL 9010	600	160	45°	60	35	292	192	5.0
749	0.00	RAL 9010	600	180	45°	60	35	328	216	5.0

#	HMOTNOST	FAR	DA1	DA2	W	L	LA	L1	L2	S
750	0.00	RAL 9010	600	200	45°	60	35	364	240	5.0
751	0.00	RAL 9010	600	225	45°	60	35	410	270	5.0
752	0.00	RAL 9010	600	250	45°	60	35	454	300	5.0
753	0.00	RAL 9010	600	280	45°	60	40	508	336	5.0
754	0.00	RAL 9010	600	315	45°	60	40	574	378	5.0
755	0.00	RAL 9010	600	355	45°	60	40	646	426	5.0
756	0.00	RAL 9010	600	400	45°	60	40	726	480	5.0
757	0.00	RAL 9010	600	450	45°	60	50	818	540	5.0
758	0.00	RAL 9010	600	500	45°	60	50	908	600	5.0
759	0.00	RAL 9010	1200	600	45°	120	60	1090	720	12.0





Technické údaje o produktech nejsou závazné. Konstrukční a rozměrové změny vyhrazeny.
Přeloženo z originálu výrobce.

TITAN - PLASTIMEX s.r.o., zastoupení Georg Fischer Piping Systems
email: info@gf.cz
tel. 483360041
www.gf.cz