


Redukce symetrická



Popis

Plastové redukce symetrické

PVC

#	HMOTNOST	FAR	DA1	DA2	H	L1	L2
1	0.031	RAL 7011	50	75	40	25	40
2	0.080	RAL 7011	63	75	40	25	40
3	0.148	RAL 7011	75	90	40	40	40
4	0.192	RAL 7011	75	110	80	40	40
5	0.260	RAL 7011	75	125	120	40	40
6	0.204	RAL 7011	90	110	60	40	40
7	0.260	RAL 7011	90	125	100	40	40
8	0.200	RAL 7011	110	125	40	40	40
9	0.279	RAL 7011	110	140	80	40	40
10	0.441	RAL 7011	110	160	140	40	40
11	0.220	RAL 7011	110	180	50	40	40
12	0.339	RAL 7011	110	200	65	40	40
13	0.261	RAL 7011	125	140	40	40	40
14	0.385	RAL 7011	125	160	100	40	40
15	0.240	RAL 7011	125	180	40	40	40
16	0.280	RAL 7011	125	200	55	40	40
17	0.360	RAL 7011	125	225	65	40	40
18	0.483	RAL 7011	125	250	90	40	40
19	0.328	RAL 7011	140	160	60	40	40
20	0.220	RAL 7011	140	180	30	40	40
21	0.280	RAL 7011	140	200	45	40	40
22	0.340	RAL 7011	140	225	60	40	40
23	0.467	RAL 7011	140	250	80	40	40
24	0.381	RAL 7011	160	180	60	40	40
25	0.534	RAL 7011	160	200	120	40	40
26	0.598	RAL 7011	160	225	100	40	40
27	0.713	RAL 7011	160	250	120	40	40
28	0.600	RAL 7011	160	280	85	40	50
29	0.812	RAL 7011	160	315	115	40	50
30	0.449	RAL 7011	180	200	75	40	40
31	0.440	RAL 7011	180	225	85	40	40

#	HMOTNOST	FAR	DA1	DA2	H	L1	L2
32	0.662	RAL 7011	180	250	100	40	40
33	0.620	RAL 7011	180	280	65	40	50
34	0.878	RAL 7011	180	315	100	40	50
35	0.559	RAL 7011	200	225	80	40	40
36	0.850	RAL 7011	200	250	140	40	40
37	0.878	RAL 7011	200	280	105	40	50
38	1089	RAL 7011	200	315	160	40	50
39	1097	RAL 7011	200	355	115	40	50
40	0.671	RAL 7011	225	250	80	40	40
41	0.680	RAL 7011	225	280	40	40	50
42	0.900	RAL 7011	225	315	65	40	50
43	0.780	RAL 7011	225	355	95	40	50
44	1103	RAL 7011	225	400	125	40	50
45	0.767	RAL 7011	250	280	35	40	50
46	0.940	RAL 7011	250	315	100	40	50
47	1055	RAL 7011	250	355	140	40	50
48	0.980	RAL 7011	250	400	105	40	50
49	1194	RAL 7011	250	450	145	40	50
50	1098	RAL 7011	280	315	100	50	50
51	0.960	RAL 7011	280	355	65	50	50
52	0.960	RAL 7011	280	400	90	50	50
53	1120	RAL 7011	280	450	120	50	50
54	1720	RAL 7011	280	500	160	50	50
55	1153	RAL 7011	315	355	120	50	50
56	1268	RAL 7011	315	400	120	50	50
57	1060	RAL 7011	315	450	95	50	50
58	1601	RAL 7011	315	500	135	50	50
59	1300	RAL 7011	355	400	135	50	50
60	1040	RAL 7011	355	450	75	50	50
61	1420	RAL 7011	355	500	110	50	50
62	0.820	RAL 7011	400	450	45	50	50
63	1280	RAL 7011	400	500	80	50	50
64	2840	RAL 7011	400	600	175	50	60
65	0.000	RAL 7011	400	700	265	50	70
66	0.000	RAL 7011	400	800	350	50	80
67	0.000	RAL 7011	400	900	435	50	90
68	0.000	RAL 7011	400	1000	520	50	100
69	1120	RAL 7011	450	500	45	50	50
70	5800	RAL 7011	450	600	130	50	60
71	5800	RAL 7011	450	630	160	50	70
72	0.000	RAL 7011	450	800	305	50	80
73	0.000	RAL 7011	450	900	395	50	90
74	0.000	RAL 7011	450	1000	480	50	100
75	7200	RAL 7011	500	600	90	50	60
76	4520	RAL 7011	500	700	175	50	70
77	0.000	RAL 7011	500	800	265	50	80
78	0.000	RAL 7011	500	900	350	50	90
79	0.000	RAL 7011	500	1000	435	50	100
80	3960	RAL 7011	600	700	90	60	70
81	7400	RAL 7011	600	800	180	60	80

#	HMOTNOST	FAR	DA1	DA2	H	L1	L2
82	0.000	RAL 7011	600	900	265	60	90
83	0.000	RAL 7011	600	1000	350	60	100
84	0.000	RAL 7011	600	1250	570	60	130
85	0.000	RAL 7011	700	800	90	70	80
86	0.000	RAL 7011	700	900	180	70	90
87	0.000	RAL 7011	700	1000	265	70	100
88	0.000	RAL 7011	700	1250	480	70	130
89	8500	RAL 7011	800	900	90	80	90
90	13000	RAL 7011	800	1000	180	80	100
91	0.000	RAL 7011	800	1250	395	80	130
92	0.000	RAL 7011	900	1000	90	90	100
93	0.000	RAL 7011	900	1250	310	90	130
94	0.000	RAL 7011	1000	1250	220	100	130

PE

#	HMOTNOST	FAR	DA1	DA2	H	L1	L2
95	0.028	black	50	75	40	25	40
96	0.060	black	63	75	40	25	40
97	0.116	black	75	90	40	40	40
98	0.166	black	75	110	80	40	40
99	0.200	black	75	125	120	40	40
100	0.154	black	90	110	60	40	40
101	0.200	black	90	125	100	40	40
102	0.166	black	110	125	40	40	40
103	0.235	black	110	140	80	40	40
104	0.350	black	110	160	140	40	40
105	0.200	black	110	180	50	40	40
106	0.255	black	110	200	65	40	40
107	0.153	black	125	140	40	40	40
108	0.314	black	125	160	100	40	40
109	0.200	black	125	180	40	40	40
110	0.220	black	125	200	55	40	40
111	0.320	black	125	225	65	40	40
112	0.414	black	125	250	90	40	40
113	0.223	black	140	160	60	40	40
114	0.160	black	140	180	30	40	40
115	0.200	black	140	200	45	40	40
116	0.300	black	140	225	60	40	40
117	0.422	black	140	250	80	40	40
118	0.240	black	160	180	60	40	40
119	0.418	black	160	200	120	40	40
120	0.475	black	160	225	100	40	40
121	0.465	black	160	250	120	40	40
122	0.580	black	160	280	85	40	50
123	0.828	black	160	315	115	40	50
124	0.334	black	180	200	75	40	40
125	0.320	black	180	225	85	40	40
126	0.478	black	180	250	100	40	40

#	HMOTNOST	FAR	DA1	DA2	H	L1	L2
127	0.520	black	180	280	65	40	50
128	0.700	black	180	315	100	40	50
129	0.410	black	200	225	80	40	40
130	0.693	black	200	250	140	40	40
131	0.773	black	200	280	105	40	50
132	1068	black	200	315	160	40	50
133	0.919	black	200	355	115	40	50
134	0.461	black	225	250	80	40	40
135	0.480	black	225	280	40	40	50
136	0.620	black	225	315	65	40	50
137	0.760	black	225	355	95	40	50
138	1210	black	225	400	125	40	50
139	0.608	black	250	280	35	40	50
140	0.883	black	250	315	100	40	50
141	1230	black	250	355	140	40	50
142	1800	black	250	400	105	40	50
143	1304	black	250	450	145	40	50
144	0.640	black	280	315	100	50	50
145	0.660	black	280	355	65	50	50
146	1180	black	280	400	90	50	50
147	1240	black	280	450	120	50	50
148	1865	black	280	500	160	50	50
149	1292	black	315	355	120	50	50
150	1457	black	315	400	120	50	50
151	1080	black	315	450	95	50	50
152	1737	black	315	500	135	50	50
153	1348	black	355	400	135	50	50
154	1060	black	355	450	75	50	50
155	1540	black	355	500	110	50	50
156	0.920	black	400	450	45	50	50
157	1280	black	400	500	80	50	50
158	2100	black	400	560	140	50	60
159	0.000	black	400	600	175	50	60
160	2900	black	400	630	205	50	60
161	0.000	black	400	700	265	50	70
162	0.000	black	400	710	270	50	70
163	0.000	black	400	800	350	50	80
164	0.000	black	400	900	435	50	90
165	0.000	black	400	1000	520	50	100
166	1000	black	450	500	45	50	50
167	1900	black	450	560	100	50	60
168	0.000	black	450	600	130	50	60
169	3000	black	450	630	160	50	60
170	0.000	black	450	700	220	50	70
171	0.000	black	450	710	230	50	70
172	0.000	black	450	800	305	50	80
173	0.000	black	450	900	395	50	90
174	0.000	black	450	1000	480	50	100
175	1560	black	500	560	55	50	60
176	0.000	black	500	600	90	50	60

#	HMOTNOST	FAR	DA1	DA2	H	L1	L2
177	2560	black	500	630	115	50	60
178	0.000	black	500	700	175	50	70
179	3800	black	500	710	185	50	70
180	0.000	black	500	800	265	50	80
181	0.000	black	500	900	350	50	90
182	0.000	black	500	1000	435	50	100
183	0.000	black	560	600	40	60	60
184	2100	black	560	630	65	60	60
185	0.000	black	560	700	125	60	70
186	3460	black	560	710	135	60	70
187	5240	black	560	800	215	60	80
188	0.000	black	560	900	300	60	90
189	0.000	black	560	1000	385	60	100
190	0.000	black	600	630	30	60	60
191	0.000	black	600	700	90	60	70
192	0.000	black	600	710	100	60	70
193	0.000	black	600	800	180	60	80
194	0.000	black	600	900	265	60	90
195	0.000	black	600	1000	350	60	100
196	0.000	black	600	1200	525	60	120
197	0.000	black	600	1250	570	60	130
198	0.000	black	630	700	65	60	70
199	2900	black	630	710	75	60	70
200	0.000	black	630	800	155	60	80
201	0.000	black	630	900	240	60	90
202	0.000	black	630	1000	325	60	100
203	0.000	black	630	1200	500	60	120
204	0.000	black	630	1250	540	60	130
205	0.000	black	700	800	15	70	70
206	0.000	black	700	900	90	70	80
207	0.000	black	700	1000	180	70	90
208	0.000	black	700	1200	265	70	100
209	0.000	black	700	1250	440	70	120
210	3000	black	710	800	480	70	130
211	7200	black	710	900	85	70	80
212	11000	black	710	1000	170	70	90
213	0.000	black	710	1200	255	70	100
214	0.000	black	710	1250	475	70	130
215	0.000	black	800	900	90	80	90
216	9000	black	800	1000	180	80	100
217	0.000	black	800	1200	350	80	120
218	0.000	black	800	1250	395	80	130
219	5700	black	900	1000	90	90	100
220	0.000	black	900	1200	265	90	120
221	0.000	black	900	1250	310	90	130
222	0.000	black	1000	1250	220	100	130

PP

#	HMOTNOST	FAR	DA1	DA2	H	L1	L2
223	0.080	RAL 7032	50	75	40	25	40
224	0.026	RAL 7032	63	75	40	25	40
225	0.112	RAL 7032	75	90	40	40	40
226	0.161	RAL 7032	75	110	80	40	40
227	0.200	RAL 7032	75	125	120	40	40
228	0.150	RAL 7032	90	110	60	40	40
229	0.200	RAL 7032	90	125	100	40	40
230	0.151	RAL 7032	110	125	40	40	40
231	0.222	RAL 7032	110	140	80	40	40
232	0.348	RAL 7032	110	160	140	40	40
233	0.200	RAL 7032	110	180	50	40	40
234	0.257	RAL 7032	110	200	65	40	40
235	0.170	RAL 7032	125	140	40	40	40
236	0.302	RAL 7032	125	160	100	40	40
237	0.200	RAL 7032	125	180	40	40	40
238	0.200	RAL 7032	125	200	55	40	40
239	0.300	RAL 7032	125	225	65	40	40
240	0.401	RAL 7032	125	250	90	40	40
241	0.253	RAL 7032	140	160	60	40	40
242	0.200	RAL 7032	140	180	30	40	40
243	0.200	RAL 7032	140	200	45	40	40
244	0.000	RAL 7032	140	225	60	40	40
245	0.296	RAL 7032	140	250	80	40	40
246	0.272	RAL 7032	160	180	60	40	40
247	0.428	RAL 7032	160	200	120	40	40
248	0.450	RAL 7032	160	225	100	40	40
249	0.471	RAL 7032	160	250	120	40	40
250	0.580	RAL 7032	160	280	85	40	50
251	0.785	RAL 7032	160	315	115	40	50
252	0.312	RAL 7032	180	200	75	40	40
253	0.320	RAL 7032	180	225	85	40	40
254	0.471	RAL 7032	180	250	100	40	40
255	0.480	RAL 7032	180	280	65	40	50
256	0.771	RAL 7032	180	315	100	40	50
257	0.402	RAL 7032	200	225	80	40	40
258	0.625	RAL 7032	200	250	140	40	40
259	0.732	RAL 7032	200	280	105	40	50
260	1078	RAL 7032	200	315	160	40	50
261	0.841	RAL 7032	200	355	115	40	50
262	0.459	RAL 7032	225	250	80	40	40
263	0.580	RAL 7032	225	280	40	40	50
264	0.880	RAL 7032	225	315	65	40	50
265	0.720	RAL 7032	225	355	95	40	50
266	1176	RAL 7032	225	400	125	40	50
267	0.608	RAL 7032	250	280	35	40	50
268	0.863	RAL 7032	250	315	100	40	50
269	1200	RAL 7032	250	355	140	40	50
270	1060	RAL 7032	250	400	105	40	50
271	1295	RAL 7032	250	450	145	40	50
272	1058	RAL 7032	280	315	100	50	50

#	HMOTNOST	FAR	DA1	DA2	H	L1	L2
273	1000	RAL 7032	280	355	65	50	50
274	0.980	RAL 7032	280	400	90	50	50
275	1220	RAL 7032	280	450	120	50	50
276	1869	RAL 7032	280	500	160	50	50
277	1264	RAL 7032	315	355	120	50	50
278	1409	RAL 7032	315	400	120	50	50
279	1160	RAL 7032	315	450	95	50	50
280	1688	RAL 7032	315	500	135	50	50
281	1349	RAL 7032	355	400	135	50	50
282	1180	RAL 7032	355	450	75	50	50
283	1540	RAL 7032	355	500	110	50	50
284	0.800	RAL 7032	400	450	45	50	50
285	1300	RAL 7032	400	500	80	50	50
286	1800	RAL 7032	400	560	140	50	60
287	2040	RAL 7032	400	600	175	50	60
288	2900	RAL 7032	400	630	205	50	60
289	0.000	RAL 7032	400	700	265	50	70
290	0.000	RAL 7032	400	710	270	50	70
291	0.000	RAL 7032	400	800	350	50	80
292	0.000	RAL 7032	400	900	435	50	90
293	0.000	RAL 7032	400	1000	520	50	100
294	1160	RAL 7032	450	500	45	50	50
295	1600	RAL 7032	450	560	100	50	60
296	0.000	RAL 7032	450	600	130	50	60
297	2420	RAL 7032	450	630	160	50	60
298	0.000	RAL 7032	450	700	220	50	70
299	0.000	RAL 7032	450	710	230	50	70
300	0.000	RAL 7032	450	800	305	50	80
301	0.000	RAL 7032	450	900	395	50	90
302	0.000	RAL 7032	450	1000	480	50	100
303	1520	RAL 7032	500	560	55	50	60
304	1820	RAL 7032	500	600	90	50	60
305	0.000	RAL 7032	500	630	115	50	60
306	0.000	RAL 7032	500	700	175	50	70
307	3600	RAL 7032	500	710	185	50	70
308	0.000	RAL 7032	500	800	265	50	80
309	0.000	RAL 7032	500	900	350	50	90
310	0.000	RAL 7032	500	1000	435	50	100
311	0.000	RAL 7032	560	600	40	60	60
312	2000	RAL 7032	560	630	65	60	60
313	0.000	RAL 7032	560	700	125	60	70
314	0.000	RAL 7032	560	710	135	60	70
315	0.000	RAL 7032	560	800	215	60	80
316	0.000	RAL 7032	560	900	300	60	90
317	0.000	RAL 7032	560	1000	385	60	100
318	0.000	RAL 7032	600	630	30	60	60
319	0.000	RAL 7032	600	700	90	60	70
320	0.000	RAL 7032	600	710	100	60	70
321	0.000	RAL 7032	600	800	180	60	80
322	0.000	RAL 7032	600	900	265	60	90

#	HMOTNOST	FAR	DA1	DA2	H	L1	L2
323	0.000	RAL 7032	600	1000	350	60	100
324	0.000	RAL 7032	600	1200	525	60	120
325	0.000	RAL 7032	600	1250	570	60	130
326	0.000	RAL 7032	630	700	65	60	70
327	0.000	RAL 7032	630	710	75	60	70
328	4300	RAL 7032	630	800	155	60	80
329	0.000	RAL 7032	630	900	240	60	90
330	0.000	RAL 7032	630	1000	325	60	100
331	0.000	RAL 7032	630	1200	500	60	120
332	0.000	RAL 7032	630	1250	540	60	130
333	0.000	RAL 7032	700	800	90	70	80
334	0.000	RAL 7032	700	900	180	70	90
335	0.000	RAL 7032	700	1000	265	70	100
336	0.000	RAL 7032	700	1200	440	70	120
337	0.000	RAL 7032	700	1250	480	70	130
338	0.000	RAL 7032	710	800	85	70	80
339	0.000	RAL 7032	710	900	170	70	90
340	0.000	RAL 7032	710	1000	255	70	100
341	0.000	RAL 7032	710	1200	430	70	120
342	0.000	RAL 7032	710	1250	475	70	130
343	0.000	RAL 7032	800	900	90	80	90
344	0.000	RAL 7032	800	1000	180	80	100
345	0.000	RAL 7032	800	1200	350	80	120
346	0.000	RAL 7032	800	1250	395	80	130
347	0.000	RAL 7032	900	1000	90	90	100
348	0.000	RAL 7032	900	1200	265	90	120
349	0.000	RAL 7032	900	1250	310	90	130
350	0.000	RAL 7032	1000	1200	180	100	120
351	0.000	RAL 7032	1000	1250	220	100	130

PPs

#	HMOTNOST	FAR	DA1	DA2	H	L1	L2
352	0.023	RAL 7037	50	75	40	25	40
353	0.025	RAL 7037	63	75	40	25	40
354	0.109	RAL 7037	75	90	40	40	40
355	0.156	RAL 7037	75	110	80	40	40
356	0.200	RAL 7037	75	125	120	40	40
357	0.154	RAL 7037	90	110	60	40	40
358	0.190	RAL 7037	90	125	100	40	40
359	0.156	RAL 7037	110	125	40	40	40
360	0.219	RAL 7037	110	140	80	40	40
361	0.348	RAL 7037	110	160	140	40	40
362	0.180	RAL 7037	110	180	50	40	40
363	0.258	RAL 7037	110	200	65	40	40
364	0.175	RAL 7037	125	140	40	40	40
365	0.302	RAL 7037	125	160	100	40	40
366	0.200	RAL 7037	125	180	40	40	40
367	0.220	RAL 7037	125	200	55	40	40

#	HMOTNOST	FAR	DA1	DA2	H	L1	L2
368	0.320	RAL 7037	125	225	65	40	40
369	0.403	RAL 7037	125	250	90	40	40
370	0.251	RAL 7037	140	160	60	40	40
371	0.200	RAL 7037	140	180	30	40	40
372	0.200	RAL 7037	140	200	45	40	40
373	0.320	RAL 7037	140	225	60	40	40
374	0.395	RAL 7037	140	250	80	40	40
375	0.286	RAL 7037	160	180	60	40	40
376	0.428	RAL 7037	160	200	120	40	40
377	0.442	RAL 7037	160	225	100	40	40
378	0.474	RAL 7037	160	250	120	40	40
379	0.580	RAL 7037	160	280	85	40	50
380	0.797	RAL 7037	160	315	115	40	50
381	0.317	RAL 7037	180	200	75	40	40
382	0.320	RAL 7037	180	225	85	40	40
383	0.502	RAL 7037	180	250	100	40	40
384	0.500	RAL 7037	180	280	65	40	50
385	0.788	RAL 7037	180	315	100	40	50
386	0.444	RAL 7037	200	225	80	40	40
387	0.639	RAL 7037	200	250	140	40	40
388	0.717	RAL 7037	200	280	105	40	50
389	1079	RAL 7037	200	315	160	40	50
390	1004	RAL 7037	200	355	115	40	50
391	0.460	RAL 7037	225	250	80	40	40
392	0.500	RAL 7037	225	280	40	40	50
393	0.900	RAL 7037	225	315	65	40	50
394	0.840	RAL 7037	225	355	95	40	50
395	1216	RAL 7037	225	400	125	40	50
396	0.644	RAL 7037	250	280	35	40	50
397	0.876	RAL 7037	250	315	100	40	50
398	1227	RAL 7037	250	355	140	40	50
399	1100	RAL 7037	250	400	105	40	50
400	1344	RAL 7037	250	450	145	40	50
401	1003	RAL 7037	280	315	100	50	50
402	1000	RAL 7037	280	355	65	50	50
403	1000	RAL 7037	280	400	90	50	50
404	1260	RAL 7037	280	450	120	50	50
405	1903	RAL 7037	280	500	160	50	50
406	1330	RAL 7037	315	355	120	50	50
407	1463	RAL 7037	315	400	120	50	50
408	1200	RAL 7037	315	450	95	50	50
409	1765	RAL 7037	315	500	135	50	50
410	1384	RAL 7037	355	400	135	50	50
411	1040	RAL 7037	355	450	75	50	50
412	1560	RAL 7037	355	500	110	50	50
413	0.940	RAL 7037	400	450	45	50	50
414	1400	RAL 7037	400	500	80	50	50
415	1860	RAL 7037	400	560	140	50	60
416	2540	RAL 7037	400	600	175	50	60
417	3280	RAL 7037	400	630	205	50	60

#	HMOTNOST	FAR	DA1	DA2	H	L1	L2
418	0.000	RAL 7037	400	700	265	50	70
419	0.000	RAL 7037	400	710	270	50	70
420	0.000	RAL 7037	400	800	350	50	80
421	0.000	RAL 7037	400	900	435	50	90
422	0.000	RAL 7037	400	1000	520	50	100
423	1020	RAL 7037	450	500	45	50	50
424	1800	RAL 7037	450	560	100	50	60
425	0.000	RAL 7037	450	600	130	50	60
426	6000	RAL 7037	450	630	160	50	60
427	3400	RAL 7037	450	700	220	50	70
428	0.000	RAL 7037	450	710	230	50	70
429	0.000	RAL 7037	450	800	305	50	80
430	0.000	RAL 7037	450	900	395	50	90
431	0.000	RAL 7037	450	1000	480	50	100
432	1520	RAL 7037	500	560	55	50	60
433	0.000	RAL 7037	500	600	90	50	60
434	2700	RAL 7037	500	630	115	50	60
435	3540	RAL 7037	500	700	175	50	70
436	3540	RAL 7037	500	710	185	50	70
437	6000	RAL 7037	500	800	265	50	80
438	0.000	RAL 7037	500	900	350	50	90
439	10000	RAL 7037	500	1000	435	50	100
440	0.000	RAL 7037	560	600	40	60	60
441	2240	RAL 7037	560	630	65	60	60
442	0.000	RAL 7037	560	700	125	60	70
443	3180	RAL 7037	560	710	135	60	70
444	0.000	RAL 7037	560	800	215	60	80
445	0.000	RAL 7037	560	900	300	60	90
446	0.000	RAL 7037	560	1000	385	60	100
447	0.000	RAL 7037	600	630	30	60	60
448	0.000	RAL 7037	600	700	90	60	70
449	0.000	RAL 7037	600	710	100	60	70
450	0.000	RAL 7037	600	800	180	60	80
451	0.000	RAL 7037	600	900	265	60	90
452	0.000	RAL 7037	600	1000	350	60	100
453	0.000	RAL 7037	600	1200	525	60	120
454	0.000	RAL 7037	600	1250	570	60	130
455	0.000	RAL 7037	630	700	65	60	70
456	2700	RAL 7037	630	710	75	60	70
457	0.000	RAL 7037	630	800	155	60	80
458	0.000	RAL 7037	630	900	240	60	90
459	0.000	RAL 7037	630	1000	325	60	100
460	0.000	RAL 7037	630	1200	500	60	120
461	0.000	RAL 7037	630	1250	540	60	130
462	0.000	RAL 7037	700	800	90	70	80
463	0.000	RAL 7037	700	900	180	70	90
464	0.000	RAL 7037	700	1000	265	70	100
465	0.000	RAL 7037	700	1250	480	70	130
466	3740	RAL 7037	710	800	85	70	80
467	6880	RAL 7037	710	900	170	70	90

#	HMOTNOST	FAR	DA1	DA2	H	L1	L2
468	0.000	RAL 7037	710	1000	255	70	100
469	0.000	RAL 7037	710	1200	430	70	120
470	0.000	RAL 7037	710	1250	475	70	130
471	5140	RAL 7037	800	900	90	80	90
472	0.000	RAL 7037	800	1000	180	80	100
473	0.000	RAL 7037	800	1200	350	80	120
474	0.000	RAL 7037	800	1250	395	80	130
475	0.000	RAL 7037	900	1000	90	90	100
476	0.000	RAL 7037	900	1200	265	90	120
477	0.000	RAL 7037	900	1250	310	90	130
478	0.000	RAL 7037	1000	1200	180	100	120
479	0.000	RAL 7037	1000	1250	220	100	130


PVDF

#	HMOTNOST	FAR	DA1	DA2	H	L1	L2
480	0.290	nature	75	110	80	40	40
481	0.630	nature	110	160	140	40	40
482	0.910	nature	160	200	120	40	40
483	1195	nature	200	250	140	40	40
484	1645	nature	250	315	100	40	50
485	2560	nature	315	400	120	50	50

PP-EL-s

#	HMOTNOST	FAR	DA1	DA2	H	L1	L2
486	0.031	black	50	75	40	25	40
487	0.100	black	63	75	40	25	40
488	0.141	black	75	90	40	40	40
489	0.204	black	75	110	80	40	40
490	0.280	black	75	125	120	40	40
491	0.206	black	90	110	60	40	40
492	0.280	black	90	125	100	40	40
493	0.203	black	110	125	40	40	40
494	0.300	black	110	140	80	40	40
495	0.348	black	110	160	140	40	40
496	0.260	black	110	180	50	40	40
497	0.342	black	110	200	65	40	40
498	0.217	black	125	140	40	40	40
499	0.412	black	125	160	100	40	40
500	0.300	black	125	180	40	40	40
501	0.300	black	125	200	55	40	40
502	0.000	black	125	225	65	40	40
503	0.545	black	125	250	90	40	40
504	0.280	black	140	160	60	40	40
505	0.000	black	140	180	30	40	40
506	0.000	black	140	200	45	40	40

#	HMOTNOST	FAR	DA1	DA2	H	L1	L2
507	0.000	black	140	225	60	40	40
508	0.010	black	140	250	80	40	40
509	0.377	black	160	180	60	40	40
510	0.572	black	160	200	120	40	40
511	0.583	black	160	225	100	40	40
512	0.615	black	160	250	120	40	40
513	0.000	black	160	280	85	40	50
514	1064	black	160	315	115	40	50
515	0.317	black	180	200	75	40	40
516	0.000	black	180	225	85	40	40
517	0.500	black	180	250	100	40	40
518	0.000	black	180	280	65	40	50
519	0.000	black	180	315	100	40	50
520	0.579	black	200	225	80	40	40
521	0.842	black	200	250	140	40	40
522	0.000	black	200	280	105	40	50
523	1463	black	200	315	160	40	50
524	1292	black	200	355	115	40	50
525	0.656	black	225	250	80	40	40
526	0.000	black	225	280	40	40	50
527	0.000	black	225	315	65	40	50
528	0.000	black	225	355	95	40	50
529	1596	black	225	400	125	40	50
530	0.845	black	250	280	35	40	50
531	1150	black	250	315	100	40	50
532	1000	black	250	355	140	40	50
533	1020	black	250	400	105	40	50
534	1365	black	250	450	145	40	50
535	1414	black	280	315	100	50	50
536	0.000	black	280	355	65	50	50
537	1480	black	280	400	90	50	50
538	0.000	black	280	450	120	50	50
539	0.010	black	280	500	160	50	50
540	1763	black	315	355	120	50	50
541	1953	black	315	400	120	50	50
542	0.000	black	315	450	95	50	50
543	2400	black	315	500	135	50	50
544	1900	black	355	400	135	50	50
545	0.000	black	355	450	75	50	50
546	0.000	black	400	450	45	50	50



Technické údaje o produktech nejsou závazné. Konstrukční a rozměrové změny vyhrazeny.
Přeloženo z originálu výrobce.

TITAN - PLASTIMEX s.r.o., zastoupení Georg Fischer Piping Systems
email: info@gf.cz
tel. 483360041
www.gf.cz